

# ADDENDUM

Owner  Contractor   
 Architect  Field

Project Name: Field House – Press Box & Toilets Addendum No.: **Two (2)**  
 Canadian ISD Date: January 23, 2009  
 Canadian, TX Project No.: 07008.9

This addendum shall be considered part of the Contract Documents for the above mentioned project as though it has been issued at the same time and incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original Contract Documents, this Addendum shall govern and take precedence.

Bidders are hereby notified that they shall make any necessary adjustments in their estimates on account of this Addendum. It will be construed that each Bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.

## General Items:

**Item No. One:** In the Specifications, Section 15450 – Plumbing Fixtures and Trim, For clarification purposes add the following items;

5.18 "FS" FLOOR SINK: Cast-iron body 12"x12"x8" square floor sink with A.R.E. interior, aluminum dome strainer and nickel brass top. Provide with grate with center hole.  
 Fixture: Wade W-9140.

5.19 "SA" SINGLE COMPARTMENT SINK: Counter-mounted 25"x21"x5" self-rimming, 20 GA stainless steel single-compartment sink. Provide sink configured to comply with handicapped regulations. Provide with single handle faucet, basket strainer (1 1/2" tailpiece with elbow), chrome-plated p-trap with cleanout, 1/2" wall supplies w/ wall flange and wheel handle.  
 Fixture: Elkay GEGR-2521-R  
 Faucet: Elkay LK-4100  
 Tailpiece: Elkay LK-35-L