

3" THICK CONCRETE SLAB
OVER FORMSTEEL, REINFORCE
WITH #3 CONT. AT 18" ON
CENTERS BOTHWAYS

SEE ARCHITECTURAL WALL
SECTIONS FOR WALL STUD
DETAILS.

SEE PLANS FOR FLOOR SLAB
ELEV. 100'-0" OR 102'-6 1/4"

SEE TYPICAL DETAILS FOR
STUD ATTACHEMENT DETAILS

3" THICK CONCRETE SLAB
OVER FORMSTEEL, REINFORCE
WITH #3 CONT. AT 18" ON
CENTERS BOTHWAYS

L3x3x1/4" CONTINUOUS DECK
ANGLE, WELD TO JOISTS.

REFER TO FRAMING PLAN FOR
BEAM SIZE, TOP OF BEAM
ELEVATION, JOIST SIZES AND
SPACING.

SECTION

47-01



C.V. Surendran
07-26-10

SUPPLEMENTARY DRAWING NO. 47

DARROUZETT IND. SCHOOL DISTRICT, DARROUZETT, TEXAS
HIGH SCHOOL IMPROVEMENTS, YEAR 2009 IMPROVEMENTS



**SURENDRAN CONSULTING
STRUCTURAL ENGINEERS**

8107 Kenosha Avenue
Lubbock, TX 79423-1723
www.surendranconsulting.com

Phone: 806.793.8668
Fax: 806.795.1582

SHEET NO. 1 OF 1
DATE: JULY 26, 2010